Regulation EC Nr. 1907/2006 Art.31

Product name: EM-Tec AG20 conductive silver pen Document Nr.: SDS0015002520-01

Date: April 4th 2022 Version: 1.0

Section 1: Identification of the substance or mixture and the company

1.1. Product Identifier

EM-Tec AG20 conductive silver pen with micro tip

1.2 Relevant identified uses of the substance or mixture and uses advised against

For making grounding paths on SEM samples, repairing traces on circuit boards, making contact pads.

1.3. Details of the supplier of the Safety Data Sheet

Micro to Nano VOF Tappersweg 91 2031ET Haarlem, Netherlands Tel: +31(0)85-2013155 E: info@microtonano.com

1.4 Emergency telephone number

112 (NLD) or your national emergency telephone number for chemical spills, leaks, fires, exposures, or accidents

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Physical:	Flammable liquid, category 2 Highly flammable liquid and vapour
Health:	Aspiration irritation, category 1 Skin corrosion/irritation category 2
	Eye irritation, category 2 May cause drowsiness or dizziness
Environment: Other hazards:	Chronic aquatic hazard category 1 None

Classification according to Regulation EC Nr. 1272/2008

F: HIGHLY FLAMMABLE Xi: Irritant Xn: Harmful Health: R36: Irri

R36: Irritating to eyes R38: Irritating to skin



Tappersweg 91 2031ET Haarlem The Netherlands

- E info@microtonano.com
- I www.microtonano.com

Regulation EC Nr. 1907/2006 Art.31

Product name:	EM-Tec AG20 conductive silver pen
Document Nr.:	SDS0015002520-01

Date: April 4th 2022 Version: 1.0

	R67: Vapours may cause drowsiness and dizziness
Physical	R11: Highly flammable
Environment:	R50/53: Very toxic to aquatic organisms, may cause long-term adverse effects in
	the aquatic environment
Other hazards:	Not classified

2.2 Labeling elements

Labelling accordance to Regulation EC Nr. 1272/2008

Hazard pictogram(s):	
Signal word:	Danger
Hazard statement(s):	H225: Highly flammable liquid and vapour
	H319: Causes serious eye irritation
	H336: May cause drowsiness or dizziness
	H410: Very toxic to aquatic life with long lasting effects
Precautionary statement	s)
Prevention:	P102: Keep out of reach of children
	P201: Obtain special instructions before use
	P210: Keep away from heat, hot surfaces, sparks, open flames, and other ignition sources. No smoking
	P240: Ground and bond container and receiving equipment
	P241: Use explosion proof electrical/ventilating/lighting/intrinsically safe
	Equipment
	P242: Use non-sparking tools
	P243: Take action to prevent static discharges
	P261: Avoid breathing mist/vapours/spray P264: Wash all exposed external body areas thouroughly after handling
	P204. Wash an exposed external body areas thouroughly after handling P270: Do not eat, drink, or smoke when using this product
	P 271: Use only outdoors or in well ventilated area (fume hood)
	P 273: Avoid release to the environment
	P280: Wear protective gloves/protective clothing/eye protection/face
D	protection
Response:	P308+P313: If exposed or concerned: Get medical attention
	P312: Call a poison center/doctor/physician/first aider if you feel unwell
	P370+378: In case of fire: Use alcohol resistant foam or protein foam for extinction



Tappersweg 91 2031ET Haarlem The Netherlands T +31-85-2013155

E info@microtonano.com

Regulation EC Nr. 1907/2006 Art.31

Product name: EM-Tec AG20 conductive silver pen **Document Nr.:** SDS0015002520-01

Date: April 4th 2022 Version: 1.0

P337 P302 P304 P332	 1+P338: If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses if easy to do. Continue rinsing. 7+P313: If eye irritation persists: Get medical attention 2+P352: If on skin: Wash with plenty of water and soap. 4+P340: If inhaled: Remove person to fresh air and keep comfortable for breathing 2+P313: If skin irritation occurs: Get medical attention 1+P353: If on skin (or hair): Take off immediately all contaminated clothing. Rinse with water (or shower)
	P391: Collect spillage
Storage: P40	3+P235: Store in a well-ventilated place. Keep cool
Disperal	P405: Store locked up
Disposal:	P501: Dispose of contents/container in accordance to local/regional/ international regulations
Supplemental hazard info:	none

2.3 Other hazards

Inhalation may produce health damage

Section 3: Composition / information on components

3.1. Substances

Not applicable

3.2 Mixtures

1. CAS Nr 2. EC Nr 3. Index Nr 4. REACH No	% (weight)	Name	Classification according to directive 67/548/EEC [DSD]	Classification according to regulation Nr 1272/2008 [CLP]
7440-22-4 231-131-3 not available 01-2119555669-21-xxxx	50	silver	R52	Not applicable
616-38-6 210-478-4 607-013-00-6 Not available	20	Dimethyl carbonate	R11	Flammable liquid 2: H225
110-43-0	9	Amyl/methyl ketone	R10R20/22	Flam. Liq. 3, Acute Tox, 4; H226,



Micro to Nano

Innovative Microscopy Supplies

Tappersweg 91 2031ET Haarlem The Netherlands T +31-85-2013155

E info@microtonano.com

Regulation EC Nr. 1907/2006 Art.31

Product name: EM-Tec AG20 conductive silver pen Document Nr.: SDS0015002520-01

Date: April 4th 2022 Version: 1.0

203-767-1 606-024-00-3 01-2119902391-49-xxxx				Н332, Н302
67-64-1 200-662-2 606-001-00-8 01-2119471330-49-xxxx	10	acetone	R11R36R66R67	Flam. Liq. 2, Eye Irri. 2, STOT SE 3; H225, H319, H336, EUH066
108-65-6 203-603-9 607-195-00-7 Not available	1	Propylene glycol monomethyl ether acetate alpha isomer	R10	Flam. Liq. 3; H226

(* Explanation notes: see section 16)

Section 4: First aid measures

4.1. Description of first aid measures

Contact with eyes:	Rinse cautiously with water for several minutes. If possible, remove contact
	lenses. Continue rinsing.
	Seek medical attention if irritation persists.
Contact with skin:	Wash with water and soap.
	Seek medical attention if irritation persists.
Inhalation:	Fresh air, keep warm and at rest.
	Seek medical attention of ill effects occur
Ingestion:	If swallowed, do not induce vomiting
	Seek immediate medical advice
	If vomiting appears imminent or occurs hold patient's head down, lower than their
	hips to help avoid possible aspiration of vomitus.
	Never give liquid to a person with reduced awareness
	Give water to rinse out mouth, then provide water slowly as much as casually can
	comfortably drink
	Avoid giving milk or oils
	Avoid giving alcohol

4.2. Important symptoms and effects, either immediate or delayed

Inhalation:	Excessive inhalation of solvent vapours may give rise to cough, drowsiness, headaches, and dizziness
Ingestion:	May cause respiratory and digestive tract irritation Symptoms: sore throat, abdominal pain, nausea, vomiting

Micro to Nano

Innovative Microscopy Supplies

Tappersweg 91 2031ET Haarlem The Netherlands T +31-85-2013155

E info@microtonano.com

Regulation EC Nr. 1907/2006 Art.31

Product name: EM-Tec AG20 conductive silver pen Document Nr.: SDS0015002520-01

Date: April 4th 2022 Version: 1.0

Skin contact:	Mildly irritating to skin
	Symptoms: redness, irritation and dry skin
Eye contact:	Irritating to eyes
	Symptoms: redness, irritation and pain, impaired vision

4.3. Indication of any immediate medical attention and special treatment

General advice:If you feel unwell, seek medical advice; show product label if possible
If symptoms persist, always call a doctor

Section 5: Firefighting Measures

5.1. Extinguishing media

Use dry sand, inert dry powders **Do not** use water, CO2, foam or halogenated fire extinguishing agents

5.2 Special hazards arising from the substance or mixture

The vapours are heavier than air and may accumulate in low-lying areas Produces CO and CO2

5.3 Advice to firefighters

In case of fire; do not breathe fumes Wear self-contained breathing apparatus for fire fighting

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Shut off all ignition sources Avoid breathing fumes/vapours Ensure adequate ventilation Wear suitable protective clothing including eye/face protection

6.2 Environmental precautions

Avoid release to the environment Do not allow to enter public sewers and waterways



Tappersweg 91 2031ET Haarlem The Netherlands

- E info@microtonano.com
- I www.microtonano.com

Regulation EC Nr. 1907/2006 Art.31

Product name: EM-Tec AG20 conductive silver pen Document Nr.: SDS0015002520-01

Date: April 4th 2022 Version: 1.0

6.3 Methods and material for containment and clean up

Absorb spillage in suitable inert material Clean up spills immediately Avoid breathing vapours Control personal contact with the substance, by using protective equipment Collect spillage, absorbed spillage and wipes in a flammable waste container Wash spill area with soap and water to remove last traces of residue

6.4 Reference to other sections

For further information see section 8

Section 7: Handling and storage

7.1. Precautions for safe handling

Keep out of reach of children Keep away from sources of ignition Do not breathe aerosols or vapours Ensure adequate ventilation Avoid contact with skin and eyes Wash thoroughly after use Wear protective gloves/protective clothing/eye protection/face protection Have eyewash bottles available

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed, in a cool, well ventilated place Store locked up Keep cool

7.3 Specific end uses(s)

Making grounding paths for SEM samples Repairing traces on circuit boards Making contact pads

Section 8: Exposure control and personal protection

8.1. Control parameters



Tappersweg 91 2031ET Haarlem The Netherlands

- E info@microtonano.com
- I www.microtonano.com

Product name: EM-Tec AG20 conductive silver pen Document Nr.: SDS0015002520-01

Regulation EC Nr. 1907/2006 Art.31

Date: April 4th 2022 Version: 1.0

Exposure limits

Occupational exposure limits (OEL)

Ingredient	Material Name	Source	TWA	STEL	Peak	Notes
Silver	Silver	UK	0.1mg/m3	Not available	Not available	Not available
		EU	0.1mg/m3	Not available	Not available	Not available
Amyl methyl	Heptan-2-one	UK	237mg/m3	475mg/m3	Not available	Skin
ketone		EU	238mg/m3	475mg/m3	Not available	Skin
Acetone	Acetone	UK	1210mg/m3	3620mg/m3	Not available	Not available
		EU	1210mg/m3	Not available	Not available	Not available
Propylene glycol monomethyl ether acetate, alpha isomer	1-Methoxypropyl -2-acetate	UK	274mg/m3	548mg/m3	Not available	Skin
		EU	275mg/m3	550mg/m3	Not available	Skin

8.2 Exposure controls

Control procedures:	Ensure adequate ventilation
	Keep away from heat sources and ignition sources
Personal protection:	Take precautions to avoid contact with eyes and skin when handling the products
	Ensure adequate ventilation
Inhalation:	In case of insufficient ventilation, wear suitable respiratory equipment:
	Air purifying respirator with organic gas/vapour cartridge (type A)
Hands and skin:	Wear suitable gloves against chemicals; recommended gloves:
	Nitrile
Eyes:	Wear safety goggles or full-face protection

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance/physical state:	Liquid
Colour:	Light grey / Silver metallic
Odour:	Not available
Odour threshold:	5 ppm
рН	Not available
Boiling point/range:	56°C
Flash point:	-17°C (closed cup)
Evaporation rate:	Not available



Tappersweg 91 2031ET Haarlem The Netherlands

- E info@microtonano.com
- I www.microtonano.com

Product name: EM-Tec AG20 conductive silver pen Document Nr.: SDS0015002520-01

Flammability: **Highly flammable Explosion limits: upper limit:** 13% lower limit: 2% Vapour pressure: 11 kPa Vapour density: >2 **Relative density:** 1.75 g/cm3 @ 20°C Solubility in water: partly miscible Auto-ignition: >330°C Viscosity: >20.5 cSt

9.2 Other information

VOC:

Not available

Section 10: Stability and reactivity

10.1. Reactivity

No hazardous reactions known if used for its intended purposes

10.2 Chemical stability

Stable at normal temperatures and pressures

10.3 Possibility of hazardous reactions

No hazardous reactions known if used for its intended purposes

10.4 Conditions to avoid

Avoid overheating, ignition sources and incompatible substances

10.5 Incompatible materials

Strong oxidising agents, strong acids, strong bases

10.6 Hazardous decomposition products

CO, CO2 and smoke



Tappersweg 91 2031ET Haarlem The Netherlands T +31-85-2013155

- E info@microtonano.com
- I www.microtonano.com

Regulation EC Nr. 1907/2006 Art.31

Date: April 4th 2022 Version: 1.0

Regulation EC Nr. 1907/2006 Art.31

Product name: EM-Tec AG20 conductive silver pen Document Nr.: SDS0015002520-01

Date: April 4th 2022 Version: 1.0

Section 11: Toxicological information

11.1. Information on toxicological effects

Information on likely routes of exposure:

Inhalation:	Inhalation of solvent vapours may give rise to nausea, headaches and dizziness
Ingestion:	Not classified as harmful by ingestion
Skin contact:	Not thought to have harmful health effects, the material may still produce health damage following entry through wounds, lesions or abrasions
Eye contact:	Irritation to eyes

Toxicological data:

Ingredient	Toxicity	Irritation
Silver, metal	Not available	Eye: no adverse effects
		Skin: no adverse effects
Amyl methyl ketone	Nor available	Eye: irritating
		Skin (rabbit): Primary irritant
		Skin: adverse effect observed
Acetone	Not available	Eye (human): 500ppm - irritant
		Eye (rabbit): 20mg/24h - moderate
		Skin (rabbit): 500mg/24hr - mild
Dimethyl carbonate	Not available	Eye: no adverse effects observed
		Skin: no adverse effects observed
Propylene glycol monomethyl ether	Not available	Eye: No adverse effects observed
acetate, alpha-isomer		Skin: No adverse effects observed
EM-Tec AG20 conductive silver pen	Not available	Not available

Section 12: Ecological information

12.1. Toxicity

Not available



Tappersweg 91 2031ET Haarlem The Netherlands

- E info@microtonano.com
- I www.microtonano.com

Regulation EC Nr. 1907/2006 Art.31

Product name: EM-Tec AG20 conductive silver pen Document Nr.: SDS0015002520-01

Date: April 4th 2022 Version: 1.0

12.2 Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
Dimethyl carbonate	HIGH	HIGH
amyl methyl ketone	LOW	LOW
acetone	LOW (Half-life = 14 days)	Medium (Half-life = 116.25 days)
Propylene glycol monomethyl ether acetate, alpha isomer	LOW	LOW

12.3 Bioaccumulative potential

Ingredient	Bioaccumulation
Dimethyl carbonate	LOW (LogKOW = 0.2336)
amyl methyl ketone	LOW (logKOW = 1.98)
acetone	LOW (BCF = 69)
Propylene glycol monomethyl ether acetate, alpha isomer	LOW (logKOW = 0.56)

12.4 Mobility in soil

Ingredient	Bioaccumulation
Dimethyl carbonate	LOW (KOC = 8.254)
amyl methyl ketone	LOW (KOC = 24)
acetone	HIGH(KOC = 1.981)
Propylene glycol monomethyl ether acetate, alpha isomer	HIGH (KOC = 1.838)

12.5 Results of PBT and vPvB assessment

No information available

12.6 Hazardous decomposition products

No experimental data available



Tappersweg 91 2031ET Haarlem The Netherlands

- E info@microtonano.com
- I www.microtonano.com

Product name: EM-Tec AG20 conductive silver pen Document Nr.: SDS0015002520-01

Regulation EC Nr. 1907/2006 Art.31

Date: April 4th 2022 Version: 1.0

Section 13: Disposal considerations

13.1. Waste treatment methods

Product:	This material and its container must be disposed of in a safe way.
	Containers may still present a chemical hazard when empty
	Do not discharge into drains or the environment, dispose to an authorised waste
	collection point.
National regulations:	Disposal should be in accordance with local, state or national legislation.

Section 14: Transport information

Labels required:

Excepted Quantity Code E2 for all modes of transport On air waybill, write "Dangerous goods in excepted quantity"

14.1. UN number

UN-number:	1263
14.2 UN proper shipping name	
Proper shipping name:	PAINT or PAINT RELATED MATERIAL
14.3 Transport hazard class(es)	
Class: ADR/RID-Classification code:	3 F1
14.4 Packing group	
Packing: Limited Quantity	II 5L

14.5 Incompatible materials

ADR/RID- Environmentally hazardous: Not applicable



Tappersweg 91 2031ET Haarlem The Netherlands T +31-85-2013155

E info@microtonano.com

Regulation EC Nr. 1907/2006 Art.31

Product name: EM-Tec AG20 conductive silver pen Document Nr.: SDS0015002520-01

Date: April 4th 2022 Version: 1.0

IMDG-Marine poluttant: Yes IATA/ICAO-Environmentally hazardous:No relevant data

14.6 Special precautions for user

ADR/RID-Tunnelcode:	(D/E)
IMDG-EMS:	F-E, S-E
IATA/ICAO-PAX:	353
IATA/ICAO-CAO:	364
IATA/ICAO-DGR:	Y341

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC code

Not applicable

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

UN-number:

1263

15.2 Chemical safety assessment

No information available

Section 16: Other information

RoHS Directive Compliant

This product is fully compliant with the directive 2100/65/EU Annex II (RoHS). It does not contain any lead, cadmium, mercury, hexavalent chromium, PBB's or PBDE's.

WEEE

This product is not a piece of electrical or electronic equipment, and it therefore not governed by Directive 2002/96/EC on waste electrical and electronic equipment (WEEE)

Abbreviations:

Asp. Tox	Aspiration hazard
Carc.	Carcinogenicity
Exp.	Exposure
Flam.	Flammable
GHS	Global Harmonised System of Classification of Labelling Chemicals
Irrit.	Irritant



Micro to Nano

Innovative Microscopy Supplies

Tappersweg 91 2031ET Haarlem The Netherlands T +31-85-2013155

E info@microtonano.com

Regulation EC Nr. 1907/2006 Art.31

Product name: EM-Tec AG20 conductive silver pen Document Nr.: SDS0015002520-01

Date: April 4th 2022 Version: 1.0

LC50	Lethal Concentration 50%
LCLo	Lowest published lethal concentration
LD50	Lethal Dose 50%
N/A	Not applicable
N/E	Not estimated
PBT	Persistent Bioaccumulative and Toxic
WEL	Workplace Exposure Limit
Repr.	Reproductive toxitant
RoHS	Restriction of Hazardous Substance
SEM	Scanning Electron Microscope
STEL	Short-Term Exposure Limit
STOT	Specific Target Organ Toxicity
TCLo	Lowest published toxic concentration
vPvB	very Persistent and very Bioaccumulative
WEEE	Waste Electrical and Electronic Equipment

DSD / DPD label elements

Full Text Risk and Hazard codes

H226 – Flammable liquid and vapour.

- H302 Harmful if swallowed.
- H332 Harmful if inhaled.

R11 – Highly flammable

R20/22 - Harmful by inhalation and if swallowed.

R36 – Irritating to eyes.

R38 – Irritating to skin

R50/53: Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment

R67: Vapours may cause drowsiness and dizziness

Safety advice:

- S02 Keep out of reach of children.
- S09 Keep container in a well-ventilated place.
- S13 Keep away from food, drink and animal feeding stuff.
- S16 Keep away from sources of ignition. No smoking.
- S23 Do not breath gas/fumes/vapour/spray.
- S26 In case of contact with eyes, rinse with plenty of water and seek medical help.
- S281 After contact with skin, wash immediately with detergent and plenty of waterways.
- S29 Do not empty in drains.
- S33 Take precautionary measures against static discharges.
- S35 This material and its container must be disposed of in a safe way.
- S36 Wear suitable protective clothing.
- S37 Wear suitable gloves.



Micro to Nano

Innovative Microscopy Supplies

Tappersweg 91 2031ET Haarlem The Netherlands

- E info@microtonano.com
- I www.microtonano.com

Regulation EC Nr. 1907/2006 Art.31

Product name:	EM-Tec AG20 conductive silver p	en
Document Nr.:	SDS0015002520-01	

Date: April 4th 2022 Version: 1.0

- S38 In case of insufficient ventilation, wear suitable respiratory equipment.
- S39 Wear eye / face protection.
- S40 In case of insufficient ventilation, wear suitable respiratory equipment.
- S41 In case of fire and/or explosion; DO NOT breathe fumes.
- S43 In case of fire use....
- S45 In case of accident or if you feel unwell, immediately contact Doctor or Poisons information center (show label if possible).
- S46 If swallowed, seek immediate medical advice and show label if possible.
- S52 Not recommended for interior use on large surfaces.
- S53 Avoid exposure obtain special instructions before use.
- S56 Dispose of this material and its container at hazardous or special waste collection point.
- S57 Use appropriate container to avoid environment contamination.
- S61 Avoid release to the environment
- S63 In case of accident by inhalation, remove casualty to fresh air and keep at rest.
- S64 If swallowed, rinse mouth with water (only if person is conscious)

This product should be stored, handled and used in accordance with good industrial hygiene practices and in accordance with any legal regulation.

The information contained herewith is based on the present state of our knowledge and is intended to describe the product from the point of view of safety requirements. It does not guarantee any specific properties.

It is the responsibility of the user to query and verify any information seeming suspect or where doubt on the validity may exist. The buyer assumes all responsibility of using and handling the product in accordance with local, state, federal and international regulations.



Tappersweg 91 2031ET Haarlem The Netherlands

- E info@microtonano.com
- I www.microtonano.com